


## It takes a lot to be an Ace. Choose wisely.

With **Aludecor Ace**, 6mm ACPs, you receive a host of distinctive features. Easy to install and maintain these are resistant to borer, termite, fungi, chemicals and UV rays. Besides they are highly cost effective and durable.

Aludecor Ace can be riveted directly into the substrate. This leaves out the use of silicone completely. With these ACPs non-bleeding, gorgeous facades are possible easily. Quick installation, easy maintenance and design-friendliness makes Aludecor Ace a favourite among architects and home-owners alike. It lends itself easily to residences, malls, hotels, commercial spaces, airports... and aces pretty much anywhere!





# **Product highlights**

- Resistance to UV rays
- Weather-proof
- Resistance to stains
- Fire-retardant
- Withstands strikes and abrasion
- Easy to install and maintain
- Lightweight and flexible
- Easier perforation and design precision
- Resistance to swelling in boiling water

# **Areas of application**

- Façade
- Boundary wall
- Ceiling
- Pergola
- Entrance
- Railing
- Louvre
- Canopy
- Balcony
- Signage and more



HPL 04 American Walnut



HPL 30 Cocoa Teak



HPL 31 Sharun Teak



HPL 37 Zebrawood Light



HPL 40 Macassar Dark



HPL 46 Classico Pine



HPL 42 Crotch Burl Light



HPL 43 Crotch Burl



HPL 44 Crotch Burl Dark



HPL 47 Hickory Brown



HPL 48 Hickory Grey



HPL 45 Anteak



HPL 54 Heartwood Hazelnut



HPL 51 Heartwood Tawny



HPL 52 Heartwood Biscotti



HPL 50 Joburg Knotty Grey



HPL 104 Apuan





HPL 121 Armani Cappuccino


# **Product Specifications**


SI. No.	Particulars	Product Composition					
1	Product Grade	AL 63					
2	Total Thickness of The Panel	6 mm					
3	Thickness of The Aluminium Skin (Top Skin/ Bottom Skin)	O.25 mm					
4	Thickness of LDPE/Mineral Core	5.5 mm					
5	Grade of Aluminium Skin	AA1100 (Supplier-Hindalco)					
6	Coating Thickness (Front Coil)	30 μ - 35 μ Three Coat Paint System Suppliers Akzonobel/PPG/Beckers/Nippon					
7	Coating Thickness (Back Coil)	4μ-7μ Service Coat					
8	Product Tolerance	Width	Length	Thickness  Coil Panel		Squareness	Bow
		±2.0 mm	±4.0 mm	±0.03 mm	±0.2 mm	Maximum 5.0 mm	Maximum 0.8% of width and/or length


Design numbers HPL 42, HPL 43, HPL 44, HPL 46, HPL 47 & HPL 52 are also available as double sided ACPs in 6mm range. For more details, contact the dealer or local area sales representative.












































# Get 3D previews of the interiors and exteriors you wish to fabricate and more...

1 Visit aludecor.com2 Go to the Support Section3 Click on the Design Assist Section4 Follow step-by-step instructionsfor fabrication ideas... absolutely FREE!























Aludecor MCPs are available in both FireWall A2 and FireWall grades. They have Factory Production Control certification from Exova Warringtonfire of the UK (ewcl<sup>5</sup>) for reaction to fire classifications of EN 13501-1 Class A2 – s1, do for FireWall A2 and EN 13501-1 Class B–s1, do, for FireWall. The FireWall even has the certification of BS476, Part 6 and 7 Class O with 2 hours resistance to fire in accordance with ASTM E119-12.

A2 is only available in AL45 grade whereas Aludecor Firewall is available for a wide range of ACPs.

## **#Beat The Fire**

\*Aludecor FireWall A2 has fireproof properties close to metals.

Shades may vary from batch to batch. For warranty and related matters please contact our toll free number 1800 102 0407.

As responsible citizens we choose to design products that help prevent the depletion of natural resources. The Pedra, Timber and Ace Series provide building materials that help preserve nature's resources. With this we hope to gift our children a better tomorrow.



Scan this for enquiry.

© 1800 102 0407 (Toll Free) W aludecor.com/enquiry



## **Head Office**

## Kolkata

Suite 52 Floor 5 1 RN Mukherjee Road Kolkata 700001 West Bengal P +91 33 4027 6600 | F +91 33 2248 8763

## **Zonal Offices**

### Kolkata

Suite 517 Floor 5 1 RN Mukherjee Road Kolkata 700001 West Bengal P +91 33 4027 6600 | F +91 33 2248 8763

Building 41 Floor 3 MM Road Rani Jhansi Road New Delhi 110055 P +91 11 4553 7777 | F +91 11 4553 7799

402 Cello Triumph IB Patel Road Opposite Laghu Udyog Goregaon (E) Mumbai 400063 P +91 22 2686 6633 | F +91 22 2686 0521

## Chennai

150/117 Montieth Road Room 1 Floor 4 Cisons Complex Next to Alsa Mall Egmore Chennai 600008 P +91 44 4214 8831 | F +91 44 4214 6226

872 Floor 2 28A Main Road South End Main Road Block 9 Jayanagar Bengaluru 560069 | P +91 96632 82211

Plot C 16/17 MIDC Industrial Area Nagpur 440028 P +91 91680 69225

## **Branch Offices**

## Ahmedabad

C/510 Floor 5 Dev Aurum Opposite Commerce House Anandnagar Road Prahlad Nagar Ahmedabad Gujarat 380015 P +91 79 4002 7100 | 4002 7101

XV/332A New No XVIII/6 Behind BPCL Petrol Pump Pukkattupady Road Vadacode PO Mundampalam Kangarapady Ernakulam 682021 P +91 8589 988112

## Pune

107 First Floor Gulmohar Centre Point Opposite Viman Nagar Entrance Off Nagar Road Pune 411014 P +91 20 2553 5220

## Hyderabad

SY 12 MBN Reddy Estate Malla Reddy Garden Plassey Lane Bowenpally Secunderabad Hyderabad Telangana 500009 | P +91 40 4202 4883

4/91 Vineet Khand Flat 202 Gomti Nagar Lucknow (UP) 226010 P +91 93681 92276 | 78978 87779

## Bhubaneswar

Plot 251 Rasulgarh Near Petrol Pump Bhubaneswar 751010 P +91 90620 99039

## Jaipur

Plot S5 Floor 1 Shri Govind Complex Pareek College More Jhotwada Road Rajasthan (Jaipur) 302016 | P +91 80039 11115

## Works

## Haridwar

(Unit 1) Plot 95 | 96 | 97 Sector V IIE Sidcul Ranipur BHEL Haridwar Uttarakhand 249403 P +91 1334 239 343 | F +91 1334 239 342

(Unit 2) Plot 31A Sector 11 IIE Sidcul Ranipur BHEL Haridwar Uttarakhand 249403

Toll Free 1800 102 0407 | crm@aludecor.com | enquiry@aludecor.com | aludecor.com CIN: U27203WB2004PTC099221

A percentage of the proceeds from our sales is forwarded towards welfare purposes.







